




Uncomplicate your life!

PO Box 5047, Southampton, New York 11969 - (631) 283-0604 - (800) 451-6875

SIERRA II



The Sierra II is another example of going the extra mile to accommodate the needs of the client. Sierra II is essentially the same unit as the Sierra except for the interior color scheme and the addition of floor to ceiling doors on the stalls. Other than that, Sierra II is a mirror image of the Sierra, meaning that the floor plan is reversed, allowing the unit into locations where the Sierra can't be placed. Sierra II is moderately priced but big on quality with uncluttered lines and a rich, warm palette. In short, the unit maximizes utility in an atmosphere of high style. Visually pleasing, completely climate controlled and sturdily built, Sierra II delivers a lot of comfort for the price. Custom-fitted skirting conceals the undercarriage.



The over-all length of Sierra II including the hitch is 29 Feet



For those who prefer elegance without the frou-frou, the Sierra will definitely please the eye. While the interior treatment tends to lean toward utility, the overall impression is still about good taste. The earth tone color scheme creates a welcoming atmosphere your guests are certain to appreciate.

Specs	
Accommodations	Men's side: 2 commodes in private stalls, 2 urinals, 2 sinks with mirror in common area. Ladies side: 4 commodes in private stalls, 2 sinks with mirror in common area.
Capacity	The number of guests either unit can accommodate will vary greatly according to the length and nature of the event. Please contact our representative to discuss your specifics.
Electrical Power	Operates on four 110/125 volt, 20 amp circuits. These circuits must be dedicated and not used to power any additional equipment
Electrical Connections	Require four power cables with NEMA 5-20 connectors. (Click Here)
Generator	Required where adequate power is not available at the location. (Click Here)
Water Supply	Unit has a standard garden hose connection. A spigot with compatible connector and functioning turnoff valve is required. Onboard water is available at additional charges.
Auxiliary Water	Required where water, or adequate water pressure (30-60 psi), is not available (Click Here)

Supply	
Options	Amenity package, flowers, attendants, etc.
Cold Weather	Rated for operation in temperatures as low as zero degrees (F)

*Contact Emil Norsic & Son - PO Box 5047 Southampton, NY 11969, (800) 451-6875
(631) 283-0604 - ext. 113*

*If our reps are busy and you'd like to send us a message with your question, click envelope.
Please include your contact information and when you'd like to be called back.*



Click to send us a message.

[Return](#)