



*Uncomplicate your life!*


PO Box 5047, Southampton, New York 11969 - (631) 283-0604 - (800) 451-6875

# SAVANNAH II



Yet another option in the mid-priced Savannah/Sierra series. Improved air circulation now allows for full, floor to ceiling doors on the compartments. That, and the placement of the entrances are the only changes from the standard Savannah. Otherwise, the units are identical, characterized by clean lines, and different color schemes on the men's and ladies' sides. The Savannahs and the Sierras have become extremely popular because they provide our clients an opportunity to field a truly well appointed facility in an surprisingly economical package.

---



OVERALL LENGTH INCLUDING TONGUE AND HITCH: 29 FEET / OVERALL WIDTH WITH STEPS DEPLOYED: 12 FEET



The Savannah's interior has a different color scheme on each side of the unit. On the women's side, a cool, mossy green is the predominant color, while a beige is used below the rail. On the men's side, the walls above the chair rail are done in a sunny, melon tone. Below the rail is a warm-toned, faux marble. Both sides have a lighted mirror with beveled edges and set in a heavy, deep, bonze-toned frame. The floor is done in a tough, attractive, easy to clean, commercial grade vinyl.



Specs	
Accommodations	Men's side: 2 commodes in private stalls, 2 urinals, 2 sinks with mirror in common area. Ladies side: 4 commodes in private stalls, 2 sinks with mirror in common area.
Capacity	The number of guests either unit can accommodate will vary greatly according to the length and nature of the event. Please contact our representative to discuss your specifics.
Electrical Power	Unit operates on three separate 110 volt 20 amp circuits. These circuits must be dedicated and not used to power any additional equipment. Power source should be within 50 feet of the unit. Unit operates on three 110/125 volt, 20 amp circuits.
Electrical Connections	Depending on the season and location, the number of power cables with NEMA 5-20 connectors will vary. The Norsic sales rep will advise the client. <a href="#">(Click Here)</a>
Generator	Required where adequate power is not available at the location. <a href="#">(Click Here)</a>
Water Supply	Unit has a standard garden hose connection. A spigot with compatible connector and functioning turn-off valve is required.
Auxiliary Water Supply	Required where water, or adequate water pressure (30-60 psi), is not available <a href="#">(Click Here)</a>
Options (+ charges)	Onboard water, amenity package, flowers, attendants, etc.
Cold Weather	This unit is rated for operation in temperatures as low as zero degrees (F)

---

*Contact Emil Norsic & Son - PO Box 5047 Southampton, NY 11969, (800) 451-6875  
(631) 283-0604 - ext. 113*

*If our reps are busy and you'd like to send us a message with your question, click envelope.  
Please include your contact information and when you'd like to be called back.*

[Click to send us a message.](#)

[Return](#)